

# IVERMECTIN and MEBENDAZOLE Testimonia

## 63 year old Canadian Man with Stage 4 Neuroendocrine Cancer of small bowel has great response after 1 month!



DR. WILLIAM MAKIS MD

APR 23, 2025 · PAID

♡ 148

💬 29

↻ 17

Share





From:

To: makisw79@yahoo.com



Mon, Feb 24 at 6:06 a.m. ☆

Dear Dr. Makis:

I found you through my friend that watched your videos. I watched them too and I am very impressed by your courage, knowledge and honesty. I know you are a very busy person so I try to be brief. I would like to have a consultation with you about cancer treatment using the drugs you covered in your videos. **Please kindly provide payment details.**

I have NET cancer that was discovered step by step after unrelated USG, then MRI, CT, biopsy and PET scan. **The primary cancer is in my small intestines and it spread to the liver and possibly pancreas (small nodule).** Doctor recommended surgery to remove part of small intestine, perhaps part of the colon too plus larger tumors in my liver (4-5). They wanted to do it soon, in March, but I had a trip scheduled to Vietnam and I delayed the surgery to mid-April or so.

I had a short consultation with a doctor in Vietnam and they confirmed the approach but also mentioned that **drugs you talk about are available in Vietnam, no prescription.** I would like to take them, on my own risk, to see if they help. My doctor in [REDACTED] refused to discuss the drugs in question, without giving any reasons (I gently asked) 😊.

I feel good, I have no symptoms except "digestion issues" that I had for a long time (typical for NET). My liver function, cancer markers and blood test are all normal. I have energy and good appetite, I exercise. I have some difficulties with gaining weight (I gained few pounds though), I think my body is fighting cancer and uses energy.

I would appreciate your guidance about the dosage and expected side effects of the drugs. I am NOT planning to tell my doctor about my intentions. I am leaving for Vietnam this Thursday Feb. 27. I would really appreciate if you responded to me as soon as possible.

Best Regards,

From: [REDACTED]

To: William Makis, [REDACTED]

Wed, Apr 9 at 12:14 p.m. ☆

Dear Dr. Makis:

I had my first CT after taking the medication for 5 weeks (from March 1 to April 3, 2025 - day of CT scan). I compared the measurements of 8 tumors on my liver before and after CT scans. The primary NET cancer is in my small intestine and it showed only on PET scan. These are the results:

Dec. 12, 2024	April 3, 2025	Reduction %
36 mm	32 mm	11%
23 mm	19 mm	17%
19 mm	14 mm	26%
16mm	12 mm	25%
17 mm	7 mm	59%
15 mm	5 mm	66%
14 mm	4 mm	71%
10 mm	3 mm	70%

Could you please comment on these results? Small tumors disappear quickly but big ones are "reluctant". 😊

Since my primary NET is in small intestine causing digestive issues by itself I am taking smaller dosage that you recommended (for my 77 kG weight I take 48 mg Ivermectin and 500 mg Mebendazole each day). I tried 60 mg and I had increased digestive problems. I bought the medication in Vietnam.

I would appreciate your comments. I have a doctor's appointment on April 22 that is to discuss the surgery on my intestine and liver. Should I postpone the surgery and continue with medications?

Best Regards,

From: [REDACTED]

To: William Makis, [REDACTED]

Mon, Apr 14 at 9:57 a.m. ☆

Thank you very much for your encouraging comments Dr. Makis 🙏.

Using Volume Reduction the tumors shrinkage was between 30% and 97%!!!

I will increase the dosage as much as I can tolerate without too many problems and continue the treatment.

I hope to report more good news to you in the future.

Best Regards,

[REDACTED]

## My Take...

63 year old Canadian Man with Stage 4 Neuroendocrine Cancer of small bowel metastatic to liver and pancreas.

5 weeks of Ivermectin 48mg and Mebendazole 500mg daily. No chemo. No radi

Smallest tumors shrink the fastest:

- 10mm to 3mm is 97.3% volume shrinkage
- 16mm to 12mm doesn't seem like that much but it is 58% shrinkage

- 23mm to 19mm is 44% shrinkage
- 36mm to 32mm is 30% shrinkage.

**This is very impressive for such a short period of time with no conventional therapy!**

**This is why I design my protocols for 3 months, the smallest tumors will often shrink significantly enough to not be seen on CT or disappear altogether!**

**The largest tumors can take a bit longer and sometimes they appear “stable” or “unchanged” even when many of the cancer cells have died.**



148 Likes · 17 Restacks

### Discussion about this post

Comments   Restacks



Write a comment...



Arabella 3d

I think it would be very interesting if someone were to publish a map of the world highlighting countries where these drugs are available OTC, no prescription. I have a friend in Panama who is a pharmacist and she told me recently that Mebendazole there costs less than 2 US dollars for 6 x 100mg pills. Ivermectin there costs about 27 USD for 24 x 6mg tablets. She also told me that everyone in Panama does a parasite self-cleanse twice a year. She couldn't believe that we in the US don't. She asked me Why not? and I told her Oh, we have a halo over our heads that stops us from getting parasites. Our doctors say no, you don't have parasites, nothing showed up in your stool sample. But she said that by the time the parasites actually show up in your stool sample, you