

IVERMECTIN and FENBENDAZOLE Testimonial - Pancreatic Cancer - CA19-9 drops 1349 to 450 in less than 2 months - loving daughter outsmarts Oncologist!



DR. WILLIAM MAKIS MD

NOV 20, 2024 · PAID



143



17



18

Share



From: [REDACTED]@hotmail.com
To: makisw79@yahoo.com

Thu, Nov 7 at 9:44 a.m. ☆

Dear Dr. Makis,

I hope this e-mail finds you well

My dad was diagnosed with pancreatic cancer in May 2024. He started chemo in July and had 4 sessions after which a CT-scan followed.

On 16 September the CT showed that the tumor grew from 4.1 cm to 4.6 cm and the tumor marker CA19-9 reached 1349 while it was 880 back in May.

Immediately after this news I put him on fenbendazole and slowly started introducing ivermectin. His doctors also put him on another chemo treatment which he started last month.

This week they did a blood test and his CA19-9 dropped to 450! We still don't know if the tumor has shrunk in size as we will have the next CT next month.

He is currently on 444 mg fenbendazole 4 days a week, ivermectin 12 mg (low dosis until I can find a trustworthy supplier shipping to EU) 3 days a week, and recently introduced mebendazole 100mg 3 times a week as well. Would you suggest to continue this treatment or to add to the doses? Can fenben be replaced with mebendazole? Or can they both be taken at the same time?

Thank you in advance for your guidance.

Kind regards,
[REDACTED]

- **May - 4.1cm Pancreatic Cancer with CA19-9 880**
- **Sep.16 - Tumor grows 4.1cm to 4.6cm on chemo, CA19-9 1349**
- **Sep.16 - Started Fenbendazole 444mg 4 days on 3 days off and Ivermectin 12mg**
- **October - Started new chemo**
- **Nov.7 - CA19-9 drops 1349 to 450!**

My Take...

This is a Pancreatic Cancer patient who didn't respond to first line chemotherapy, the best chemo that the Oncologists had in their arsenal.

Lessons:

- 1. Oncologists suck. They truly suck. Oncology today is absolute garbage.**
 - a. Oncologist with his best medicine: CA19-9 goes 880 to 1349 and pancreatic tumor grows 4.1cm to 4.6cm**
 - b. Loving daughter with internet and dog medicine: CA19-9 goes 1349 to 450.**
 - c. Oncologist should be fired and never allowed near a patient again.**

2. 2nd line chemo + fenbendazole = yes, fenbendazole did most of the work although there was probably some synergy.
3. Low doses of repurposed drugs can work. She did 12mg Ivermectin + 444mg Fenben 4/7. That's a low dose protocol.
 - a. I may have done 60mg IVM and 444mg Fenben 6/7 or even 888mg, but she achieved a great result.
 - b. Work with what you have, and don't be afraid to try
4. She introduced Mebendazole 100mg 3/7days as well.

I tend to not use both Fenbendazole and Mebendazole as that could be a bit difficult on the liver. I'd rather up the dose of one or the other.

But she did an absolutely fantastic job and outsmarted the Oncologist!



143 Likes · 18 Restacks

Discussion about this post

Comments

Restacks



Write a comment...



Andy 11 hrs ago

Great to see yet another person believing in themselves and taking a very calculated decision (NOT RISK) I believe than FENBEN Panacur powder taken on a spoon with olive oil (organic) or with high fat meals make it more potent, taken morning and night it helps taken with the fats to absorb into your system and not get flushed out so easy and quickly. Getting Glucose down is Key also. lower your sugar intake and processed foods and limit inflammation. Tumeric with black pepper, milk thistle, clean filtered water, magnesium high strength, VIT D3 K2, research worm wood, berberine also.