

APPENDIX 1. LIST OF ADVERSE EVENTS OF SPECIAL INTEREST**Pfizer - Approved 30. Apr. 2021****5.3.6 CUMULATIVE ANALYSIS OF POST-AUTHORIZATION ADVERSE EVENT REPORTS OF PF-07302048 (BNT162B2) RECEIVED THROUGH 28-FEB-2021****BNT162b2 - 5.3.6 Cumulative Analysis of Post-authorization Adverse Event Reports**

1p36 deletion syndrome; 2-Hydroxyglutaric aciduria; 5'nucleotidase increased; Acoustic neuritis; Acquired C1 inhibitor deficiency; Acquired epidermolysis bullosa; Acquired epileptic aphasia; Acute cutaneous lupus erythematosus; Acute disseminated encephalomyelitis; Acute encephalitis with refractory, repetitive partial seizures; Acute febrile neutrophilic dermatosis; Acute flaccid myelitis; Acute haemorrhagic leukoencephalitis; Acute haemorrhagic oedema of infancy; Acute kidney injury; Acute macular outer retinopathy; Acute motor axonal neuropathy; Acute motor-sensory axonal neuropathy; Acute myocardial infarction; Acute respiratory distress syndrome; Acute respiratory failure; Addison's disease; Administration site thrombosis; Administration site vasculitis; Adrenal thrombosis; Adverse event following immunisation;	Agranulocytosis; Air embolism; Alanine aminotransferase abnormal; Alanine aminotransferase increased; Alcoholic seizure; Allergic bronchopulmonary mycosis; Allergic oedema;Alloimmune hepatitis; Alopecia areata;Alpers disease; Alveolar proteinosis; Ammonia abnormal; Ammonia increased; Amniotic cavity infection; Amygdalohippocampectomy; Amyloid arthropathy; Amyloidosis; Amyloidosis senile; Anaphylactic reaction; Anaphylactic shock; Anaphylactic transfusion reaction; Anaphylactoid reaction; Anaphylactoid shock; Anaphylactoid syndrome of pregnancy; Angioedema; Angiopathic neuropathy; Ankylosing spondylitis; Anosmia; Antiacetylcholine receptor antibody positive;	Anti-aquaporin-4 antibody positive; Anti-basal ganglia antibody positive; Anti-cyclic citrullinated peptide antibody positive; Anti-epithelial antibody positive; Anti-erythrocyte antibody positive; Anti-exosome complex antibody positive; AntiGAD antibody negative; Anti-GAD antibody positive; Anti-ganglioside antibody positive; Antigliadin antibody positive; Anti-glomerular basement membrane antibody positive; Anti-glomerular basement membrane disease; Anti-glycyl-tRNA synthetase antibody positive; Anti-HLA antibody test positive; Anti-IA2 antibody positive; Anti-insulin antibody increased; Anti-insulin antibody positive; Anti-insulin receptor antibody increased; Antiinsulin receptor antibody positive; Anti-interferon antibody negative; Anti-interferon antibody positive; Anti-islet cell antibody positive; Antimitochondrial antibody positive; Anti-muscle specific kinase antibody positive; Anti-myelin-associated glycoprotein antibodies
--	---	--

Ageusia;	Anti-actin antibody positive;	positive;
Anti-myelin-associated glycoprotein associated polyneuropathy;	Application site thrombosis;	Autoimmune colitis;
Antimyocardial antibody positive;	Application site vasculitis;	Autoimmune demyelinating disease;
Anti-neuronal antibody positive;	Arrhythmia;	Autoimmune dermatitis;
Antineutrophil cytoplasmic antibody increased;	Arterial bypass occlusion;	Autoimmune disorder;
Antineutrophil cytoplasmic antibody positive;	Arterial bypass thrombosis;	Autoimmune encephalopathy;
Anti-neutrophil cytoplasmic antibody positive vasculitis;	Arterial thrombosis;	Autoimmune endocrine disorder;
Anti-NMDA antibody positive;	Arteriovenous fistula thrombosis;	Autoimmune enteropathy;
Antinuclear antibody increased;	Arteriovenous graft site stenosis;	Autoimmune eye disorder;
Antinuclear antibody positive;	Arteriovenous graft thrombosis;	Autoimmune haemolytic anaemia;
Antiphospholipid antibodies positive;	Arteritis;	Autoimmune heparin-induced thrombocytopenia;
Antiphospholipid syndrome;	Arteritis coronary;	Autoimmune hepatitis;
Anti-platelet antibody positive;	Arthralgia;Arthritis;	Autoimmune hyperlipidaemia;
Anti-prothrombin antibody positive;	Arthritis enteropathic;	Autoimmune hypothyroidism;
Antiribosomal P antibody positive;	Ascites;	Autoimmune inner ear disease;
Anti-RNA polymerase III antibody positive;	Aseptic cavernous sinus thrombosis;	Autoimmune lung disease;
Anti-saccharomyces cerevisiae antibody test positive;	Aspartate aminotransferase abnormal;	Autoimmune lymphoproliferative syndrome;
Anti-sperm antibody positive;	Aspartate aminotransferase increased;	Autoimmune myocarditis;
Anti-SRP antibody positive;	Aspartate-glutamate-transporter deficiency;	Autoimmune myositis;
Antisynthetase syndrome;	AST to platelet ratio index increased;	Autoimmune nephritis;
Anti-thyroid antibody positive;	AST/ALT ratio abnormal;Asthma;	Autoimmune neuropathy;
Anti-transglutaminase antibody increased;	Asymptomatic COVID19;	Autoimmune neutropenia;
Anti-VGCC antibody positive;	Ataxia;Atheroembolism;	Autoimmune pancreatitis;
AntiVGKC antibody positive;	Atonic seizures;	Autoimmune pancytopenia;
Anti-vimentin antibody positive;	Atrial thrombosis;	Autoimmune pericarditis;
Antiviral prophylaxis;	Atrophic thyroiditis;	Autoimmune retinopathy;
Antiviral treatment;Anti-zinc transporter 8 antibody positive;	Atypical benign partial epilepsy;	Autoimmune thyroid disorder;
Aortic embolus;	Atypical pneumonia;	Autoimmune thyroiditis;
Aortic thrombosis;	Aura;	Autoimmune uveitis;
Aortitis;Aplasia pure red cell;	Autoantibody positive;	Autoinflammation with infantile enterocolitis;
	Autoimmune anaemia;	Autoinflammatory disease;
	Autoimmune aplastic anaemia;	Automatism epileptic;
	Autoimmune arthritis;	Autonomic nervous system imbalance;
	Autoimmune blistering disease;	

Aplastic anaemia;	Autoimmune cholangitis;	Autonomic seizure;
Axial spondyloarthritis;	Blood pressure decreased;	Carotid arterial embolus;
Axillary vein thrombosis;	Blood pressure diastolic decreased;	Carotid artery thrombosis;
Axonal and demyelinating polyneuropathy;	Blood pressure systolic decreased;	Cataplexy;
Axonal neuropathy;	Blue toe syndrome;	Catheter site thrombosis;
Bacterascites;	Brachiocephalic vein thrombosis;	Catheter site vasculitis;
Baltic myoclonic epilepsy;	Brain stem embolism;	Cavernous sinus thrombosis;
Band sensation;	Brain stem thrombosis;	CDKL5 deficiency disorder;
Basedow's disease;	Bromosulphthalein test abnormal;	CEC syndrome;
Basilar artery thrombosis;	Bronchial oedema;	Cement embolism;
Basophilopenia;	Bronchitis;	Central nervous system lupus;
B-cell aplasia;	Bronchitis mycoplasmal;	Central nervous system vasculitis;
Behcet's syndrome;	Bronchitis viral;	Cerebellar artery thrombosis;
Benign ethnic neutropenia;	Bronchopulmonary aspergillosis allergic;	Cerebellar embolism;
Benign familial neonatal convulsions;	Bronchospasm;	Cerebral amyloid angiopathy;
Benign familial pemphigus;	BuddChiari syndrome;	Cerebral arteritis;
Benign rolandic epilepsy;	Bulbar palsy;	Cerebral artery embolism;
Beta-2 glycoprotein antibody positive;	Butterfly rash;	Cerebral artery thrombosis;
Bickerstaff's encephalitis;	C1q nephropathy;	Cerebral gas embolism;
Bile output abnormal;	Caesarean section;	Cerebral microembolism;
Bile output decreased;	Calcium embolism;	Cerebral septic infarct;
Biliary ascites;	Capillaritis;	Cerebral thrombosis;
Bilirubin conjugated abnormal;	Caplan's syndrome;	Cerebral venous sinus thrombosis;
Bilirubin conjugated increased;	Cardiac amyloidosis;	Cerebral venous thrombosis;
Bilirubin urine present;	Cardiac arrest;	Cerebrospinal thrombotic tamponade;
Biopsy liver abnormal;	Cardiac failure;	Cerebrovascular accident;
Biotinidase deficiency;	Cardiac failure acute;	Change in seizure presentation;
Birdshot chorioretinopathy;	Cardiac sarcoidosis;	Chest discomfort;ChildPugh-Turcotte score abnormal;
Blood alkaline phosphatase abnormal;	Cardiac ventricular thrombosis;	Child-Pugh-Turcotte score increased;
Blood alkaline phosphatase increased;	Cardiogenic shock;	Chillblains;
Blood bilirubin abnormal;	Cardiolipin antibody positive;	Choking;
Blood bilirubin increased;	Cardiopulmonary failure;	Choking sensation;
Blood bilirubin unconjugated increased;	Cardio-respiratory arrest;	Cholangitis sclerosing;
Blood cholinesterase abnormal;	Cardio-respiratory distress;	

Blood cholinesterase decreased; Chronic cutaneous lupus erythematosus; Chronic fatigue syndrome; Chronic gastritis; Chronic inflammatory demyelinating polyradiculoneuropathy; Chronic lymphocytic inflammation with pontine perivascular enhancement responsive to steroids; Chronic recurrent multifocal osteomyelitis; Chronic respiratory failure; Chronic spontaneous urticaria; Circulatory collapse; Circumoral oedema; Circumoral swelling; Clinically isolated syndrome; Clonic convulsion; Coeliac disease; Cogan's syndrome; Cold agglutinins positive; Cold type haemolytic anaemia; Colitis; Colitis erosive; Colitis herpes; Colitis microscopic; Colitis ulcerative; Collagen disorder; Collagen-vascular disease; Complement factor abnormal; Complement factor C1 decreased; Complement factor C2 decreased; Complement factor C3 decreased; Complement factor C4 decreased; Complement factor decreased; Computerised tomogram liver abnormal;	Cardiovascular insufficiency; Congenital anomaly; Congenital bilateral perisylvian syndrome; Congenital herpes simplex infection; Congenital myasthenic syndrome; Congenital varicella infection; Congestive hepatopathy; Convulsion in childhood; Convulsions local; Convulsive threshold lowered; Coombs positive haemolytic anaemia; Coronary artery disease; Coronary artery embolism; Coronary artery thrombosis; Coronary bypass thrombosis; Coronavirus infection; Coronavirus test; Coronavirus test negative; Coronavirus test positive; Corpus callosotomy; Cough;Cough variant asthma; COVID-19; COVID-19 immunisation; COVID-19 pneumonia; COVID-19 prophylaxis; COVID-19 treatment; Cranial nerve disorder; Cranial nerve palsies multiple; Cranial nerve paralysis; CREST syndrome; Crohn's disease; Cryofibrinogenaemia; Cryoglobulinaemia; CSF oligoclonal band present;	Chronic autoimmune glomerulonephritis; Cutaneous amyloidosis; Cutaneous lupus erythematosus; Cutaneous sarcoidosis; Cutaneous vasculitis; Cyanosis; Cyclic neutropenia; Cystitis interstitial; Cytokine release syndrome; Cytokine storm; De novo purine synthesis inhibitors associated acute inflammatory syndrome; Death neonatal; Deep vein thrombosis; Deep vein thrombosis postoperative; Deficiency of bile secretion; Deja vu; Demyelinating polyneuropathy; Demyelination;Dermatitis;Dermatitis bullous; Dermatitis herpetiformis; Dermatomyositis; Device embolisation; Device related thrombosis; Diabetes mellitus; Diabetic ketoacidosis; Diabetic mastopathy; Dialysis amyloidosis; Dialysis membrane reaction; Diastolic hypotension; Diffuse vasculitis; Digital pitting scar; Disseminated intravascular coagulation; Disseminated intravascular coagulation in newborn;
---	---	--

Concentric sclerosis;	CSWS syndrome;	Disseminated neonatal herpes simplex;
Disseminated varicella;	Endocrine ophthalmopathy;	Hypersensitivity vasculitis;
Disseminated varicella zoster vaccine virus infection;	Endotracheal intubation;	Hyperthyroidism;
Disseminated varicella zoster virus infection;	Enteritis;	Hypertransaminasaemia;
DNA antibody positive;	Enteritis leukopenic;	Hyperventilation;
Double cortex syndrome;	Enterobacter pneumonia;	Hypoalbuminaemia;
Double stranded DNA antibody positive;	Enterocolitis;	H hypocalcaemic seizure;
Dreamy state;	Enteropathic spondylitis;	Hypogammaglobulinaemia;
Dressler's syndrome;	Eosinopenia;	Hypoglossal nerve paralysis;
Drop attacks;	Eosinophilic infection;	Hypoglossal nerve paresis;
Drug withdrawal convulsions;	Herpes zoster;	Hypoglycaemic seizure;
Dyspnoea;	Herpes zoster cutaneous disseminated;	Hyponatraemic seizure;
Early infantile epileptic encephalopathy with burst-suppression;	Herpes zoster infection neurological;	Hypotension;
Eclampsia;	Herpes zoster meningitis;	Hypotensive crisis;
Eczema herpeticum;	Herpes zoster meningoencephalitis;	Hypothenar hammer syndrome;
Embolia cutis medicamentosa;	Herpes zoster meningomyelitis;	Hypothyroidism;
Emolic cerebellar infarction;	Herpes zoster meningoradiculitis;	Hypoxia;
Emolic cerebral infarction;	Herpes zoster necrotising retinopathy;	Idiopathic CD4 lymphocytopenia;
Emolic pneumonia;	Herpes zoster oticus;	Idiopathic generalised epilepsy;
Emolic stroke;	Herpes zoster pharyngitis;	Idiopathic interstitial pneumonia;
Embolism;	Herpes zoster reactivation;	Idiopathic neutropenia;
Embolism arterial;	Herpetic radiculopathy;	Idiopathic pulmonary fibrosis;
Embolism venous;	Histone antibody positive;	IgA nephropathy;
Encephalitis;	Hoigne's syndrome;	IgM nephropathy;
Encephalitis allergic;	Human herpesvirus 6 encephalitis;	IIIrd nerve paralysis;
Encephalitis autoimmune;	Human herpesvirus 6 infection;	IIIrd nerve paresis;
Encephalitis brain stem;	Human herpesvirus 6 infection reactivation;	Iliac artery embolism;
Encephalitis haemorrhagic;	Human herpesvirus 7 infection;	Immune thrombocytopenia;
Encephalitis periaxialis diffusa;	Human herpesvirus 8 infection;	Immunemediated adverse reaction;
Encephalitis post immunisation;	Hyperammonaemia;	Immune-mediated cholangitis;
Encephalomyelitis;	Hyperbilirubinaemia;	Immune-mediated cholestasis;
Encephalopathy;	Hypercholia;	Immune-mediated cytopenia;
	Hypergammaglobulinaemia benign monoclonal;	Immune-mediated encephalitis;
	Hyperglycaemic seizure;	Immune-mediated encephalopathy;

Endocrine disorder;	Hypersensitivity;	Immune-mediated endocrinopathy;
Immune-mediated enterocolitis;	Intracranial pressure increased;	Lemierre syndrome;
Immunemediated gastritis;	Intrapericardial thrombosis;	Lennox-Gastaut syndrome;
Immune-mediated hepatic disorder;	Intrinsic factor antibody abnormal;	Leucine aminopeptidase increased;
Immune-mediated hepatitis;	Intrinsic factor antibody positive;	Leukoencephalomyelitis;
Immunemediated hyperthyroidism;	IPEX syndrome;Irregular breathing;	Leukoencephalopathy;
Immune-mediated hypothyroidism;	IRVAN syndrome;	Leukopenia;Leukopenia neonatal;
Immune-mediated myocarditis;	IVth nerve paralysis;	Lewis-Sumner syndrome;
Immune-mediated myositis;	IVth nerve paresis;	Lhermitte's sign;
Immune-mediated nephritis;	JC polyomavirus test positive;	Lichen planopilaris;
Immune-mediated neuropathy;	JC virus CSF test positive;	Lichen planus;Lichen sclerosus;
Immune-mediated pancreatitis;	Jeavons syndrome;	Limbic encephalitis;
Immune-mediated pneumonitis;	Jugular vein embolism;	Linear IgA disease;
Immune-mediated renal disorder;	Jugular vein thrombosis;	Lip oedema;
Immune-mediated thyroiditis;	Juvenile idiopathic arthritis;	Lip swelling;
Immune-mediated uveitis;	Juvenile myoclonic epilepsy;	Liver function test abnormal;
Immunoglobulin G4 related disease;	Juvenile polymyositis;	Liver function test decreased;
Immunoglobulins abnormal;	Juvenile psoriatic arthritis;	Liver function test increased;
Implant site thrombosis;	Juvenile spondyloarthritis;	Liver induration;
Inclusion body myositis;	Kaposi sarcoma inflammatory cytokine syndrome;	Liver injury;
Infantile genetic agranulocytosis;	Kawasaki's disease;	Liver iron concentration abnormal;
Infantile spasms;Infected vasculitis;	Kayser-Fleischer ring;	Liver iron concentration increased;
Infective thrombosis;Inflammation;	Keratoderma blenorrhagica;	Liver opacity;
Inflammatory bowel disease;	Ketosisprone diabetes mellitus;	Liver palpable;
Infusion site thrombosis;	Kounis syndrome;	Liver sarcoidosis;
Infusion site vasculitis;	Lafora's myoclonic epilepsy;	Liver scan abnormal;
Injection site thrombosis;	Lambl's excrescences;	Liver tenderness;
Injection site urticaria;	Laryngeal dyspnoea;	Low birth weight baby;
Injection site vasculitis;	Laryngeal oedema;	Lower respiratory tract herpes infection;
Instillation site thrombosis;	Laryngeal rheumatoid arthritis;	Lower respiratory tract infection;
Insulin autoimmune syndrome;	Laryngospasm;	Lower respiratory tract infection viral;
Interstitial granulomatous dermatitis;	Laryngotracheal oedema;	Lung abscess;
Interstitial lung disease;	Latent autoimmune diabetes in adults;	Lupoid hepatic cirrhosis;
Intracardiac mass;		Lupus cystitis;

Intracardiac thrombus;	LE cells present;	Lupus encephalitis;
Lupus endocarditis;	MERS-CoV test;	Multiple organ dysfunction syndrome;
Lupus enteritis;	MERS-CoV test negative;	Multiple sclerosis;
Lupus hepatitis;	MERS-CoV test positive;	Multiple sclerosis relapse;
Lupus myocarditis;	Mesangioproliferative glomerulonephritis;	Multiple sclerosis relapse prophylaxis;
Lupus myositis;Lupus nephritis;	Mesenteric artery embolism;	Multiple subpial transection;
Lupus pancreatitis;	Mesenteric artery thrombosis;	Multisystem inflammatory syndrome in children;
Lupus pleurisy;	Mesenteric vein thrombosis;	Muscular sarcoidosis;
Lupus pneumonitis;	Metapneumovirus infection;	Myasthenia gravis;
Lupus vasculitis;	Metastatic cutaneous Crohn's disease;	Myasthenia gravis crisis;
Lupus-like syndrome;	Metastatic pulmonary embolism;	Myasthenia gravis neonatal;
Lymphocytic hypophysitis;	Microangiopathy;	Myasthenic syndrome;
Lymphocytopenia neonatal;	Microembolism;	Myelitis;
Lymphopenia;	Microscopic polyangiitis;	Myelitis transverse;
MAGIC syndrome;	Middle East respiratory syndrome;	Myocardial infarction;
Magnetic resonance imaging liver abnormal;	Migraine-triggered seizure;	Myocarditis;Myocarditis post infection;
Magnetic resonance proton density fat fraction measurement;	Miliary pneumonia;	Myoclonic epilepsy;
Mahler sign;	Miller Fisher syndrome;	Myoclonic epilepsy and ragged-red fibres;
Manufacturing laboratory analytical testing issue;	Mitochondrial aspartate aminotransferase increased;	Myokymia;
Manufacturing materials issue;	Mixed connective tissue disease;	Myositis;
Manufacturing production issue;	Model for end stage liver disease score abnormal;	Narcolepsy;
Marburg's variant multiple sclerosis;	Model for end stage liver disease score increased;	Nasal herpes;
Marchiafava-Bignami disease;	Molar ratio of total branched-chain amino acid to tyrosine;	Nasal obstruction;
Marine Lenhart syndrome;	Molybdenum cofactor deficiency;	Necrotising herpetic retinopathy;
Mastocytic enterocolitis;	Monocytopenia;	Neonatal Crohn's disease;
Maternal exposure during pregnancy;	Mononeuritis;	Neonatal epileptic seizure;
Medical device site thrombosis;	Mononeuropathy multiplex;	Neonatal lupus erythematosus;
Medical device site vasculitis;	Morphea;Morvan syndrome;	Neonatal mucocutaneous herpes simplex;
MELAS syndrome;Meningitis;	Mouth swelling;	Neonatal pneumonia;
Meningitis aseptic;Meningitis herpes;	Moyamoya disease;	Neonatal seizure;
Meningoencephalitis herpes simplex neonatal;		Nephritis;
Meningoencephalitis herpetic;		Nephrogenic systemic fibrosis;Neuralgic amyotrophy;
		Neuritis;

Meningomyelitis herpes;	Multifocal motor neuropathy;	Neuritis cranial;
Neuromyelitis optica pseudo relapse;	Ophthalmic artery thrombosis;	Partial seizures;
Neuromyelitis optica spectrum disorder;	Ophthalmic herpes simplex;	Partial seizures with secondary generalisation;
Neuromyotonia;	Ophthalmic herpes zoster;	Patient isolation;
Neuronal neuropathy;	Ophthalmic vein thrombosis;	Pelvic venous thrombosis;
Neuropathy peripheral;	Optic neuritis;	Pemphigoid;
Neuropathy, ataxia, retinitis pigmentosa syndrome;	Optic neuropathy;	Pemphigus;
Neuropsychiatric lupus;	Optic perineuritis;	Penile vein thrombosis;Pericarditis;
Neurosarcoidosis;	Oral herpes;	Pericarditis lupus;
Neutropenia;	Oral lichen planus;	Perihepatic discomfort;
Neutropenia neonatal;	Oropharyngeal oedema;	Periorbital oedema;
Neutropenic colitis;	Oropharyngeal spasm;	Periorbital swelling;
Neutropenic infection;	Oropharyngeal swelling;	Peripheral artery thrombosis;
Neutropenic sepsis;	Osmotic demyelination syndrome;	Peripheral embolism;
Nodular rash;	Ovarian vein thrombosis;	Peripheral ischaemia;
Nodular vasculitis;	Overlap syndrome;	Peripheral vein thrombus extension;
Noninfectious myelitis;	Paediatric autoimmune neuropsychiatric disorders associated with streptococcal infection;	Periportal oedema;
Noninfective encephalitis;	Paget-Schroetter syndrome;	Peritoneal fluid protein abnormal;
Noninfective encephalomyelitis;	Palindromic rheumatism;	Peritoneal fluid protein decreased;
Noninfective oophoritis;	Palisaded neutrophilic granulomatous dermatitis;	Peritoneal fluid protein increased;
Obstetrical pulmonary embolism;	Palmoplantar keratoderma;	Peritonitis lupus;Pernicious anaemia;
Occupational exposure to communicable disease;	Palpable purpura;	Petit mal epilepsy;
Occupational exposure to SARS-CoV-2;	Pancreatitis;	Pharyngeal oedema;
Ocular hyperaemia;	Panencephalitis;	Pharyngeal swelling;
Ocular myasthenia;	Papillophlebitis;	Pityriasis lichenoides et varioliformis acuta;
Ocular pemphigoid;	Paracancerous pneumonia;	Placenta praevia;
Ocular sarcoidosis;	Paradoxical embolism;	Pleuroparenchymal fibroelastosis;
Ocular vasculitis;	Parainfluenzae viral laryngotracheobronchitis;	Pneumobilia;
Oculofacial paralysis;	Paraneoplastic dermatomyositis;	Pneumonia;
Oedema;	Paraneoplastic pemphigus;	Pneumonia adenoviral;
Oedema blister;	Paraneoplastic thrombosis;	Pneumonia cytomegaloviral;
Oedema due to hepatic disease;	Paresis cranial nerve;	Pneumonia herpes viral;
Oedema mouth;	Parietal cell antibody positive;	Pneumonia influenzal;
		Pneumonia measles;

Oesophageal achalasia; Pneumonia necrotising; Pneumonia parainfluenzae viral; Pneumonia respiratory syncytial viral; Pneumonia viral; POEMS syndrome; Polyarteritis nodosa; Polyarthritis; Polychondritis; Polyglandular autoimmune syndrome type I; Polyglandular autoimmune syndrome type II; Polyglandular autoimmune syndrome type III; Polyglandular disorder; Polymicrogyria; Polymyalgia rheumatica; Polymyositis; Polyneuropathy; Polyneuropathy idiopathic progressive; Portal pyaemia;Portal vein embolism;Portal vein flow decreased;Portal vein pressure increased;Portal vein thrombosis; Portosplenomesenteric venous thrombosis; Post procedural hypotension; Post procedural pneumonia; Post procedural pulmonary embolism; Post stroke epilepsy; Post stroke seizure; Post thrombotic retinopathy; Post thrombotic syndrome; Post viral fatigue syndrome; Postictal headache; Postictal paralysis; Postictal psychosis; Postictal state;	Paroxysmal nocturnal haemoglobinuria; Postoperative respiratory failure; Postoperative thrombosis; Postpartum thrombosis; Postpartum venous thrombosis; Postpericardiotomy syndrome; Post-traumatic epilepsy; Postural orthostatic tachycardia syndrome; Precerebral artery thrombosis; Pre-eclampsia;Preictal state; Premature labour; Premature menopause; Primary amyloidosis; Primary biliary cholangitis; Primary progressive multiple sclerosis;Procedural shock; Proctitis herpes; Proctitis ulcerative; Product availability issue; Product distribution issue; Product supply issue; Progressive facial hemiatrophy; Progressive multifocal leukoencephalopathy; Progressive multiple sclerosis; Progressive relapsing multiple sclerosis; Prosthetic cardiac valve thrombosis;Pruritus;Pruritus allergic; Pseudovasculitis; Psoriasis; Psoriatic arthropathy; Pulmonary amyloidosis; Pulmonary artery thrombosis; Pulmonary embolism; Pulmonary fibrosis;	Pneumonia mycoplasmal; Pulmonary microemboli; Pulmonary oil microembolism; Pulmonary renal syndrome; Pulmonary sarcoidosis; Pulmonary sepsis; Pulmonary thrombosis; Pulmonary tumour thrombotic microangiopathy; Pulmonary vasculitis; Pulmonary veno-occlusive disease; Pulmonary venous thrombosis; Pyoderma gangrenosum; Pyostomatitis vegetans; Pyrexia; Quarantine; Radiation leukopenia; Radiculitis brachial; Radiologically isolated syndrome; Rash; Rash erythematous; Rash pruritic; Rasmussen encephalitis; Raynaud's phenomenon; Reactive capillary endothelial proliferation; Relapsing multiple sclerosis; Relapsing-remitting multiple sclerosis; Renal amyloidosis; Renal arteritis; Renal artery thrombosis; Renal embolism; Renal failure; Renal vascular thrombosis; Renal vasculitis; Renal vein embolism;
--	---	---

Postoperative respiratory distress; Respiratory arrest; Respiratory disorder; Respiratory distress; Respiratory failure; Respiratory paralysis; Respiratory syncytial virus bronchiolitis; Respiratory syncytial virus bronchitis; Retinal artery embolism; Retinal artery occlusion; Retinal artery thrombosis; Retinal vascular thrombosis; Retinal vasculitis; Retinal vein occlusion; Retinal vein thrombosis; Retinol binding protein decreased; Retinopathy; Retrograde portal vein flow; Retroperitoneal fibrosis; Reversible airways obstruction; Reynold's syndrome; Rheumatic brain disease; Rheumatic disorder; Rheumatoid arthritis; Rheumatoid factor increased; Rheumatoid factor positive; Rheumatoid factor quantitative increased; Rheumatoid lung; Rheumatoid neutrophilic dermatosis; Rheumatoid nodule; Rheumatoid nodule removal; Rheumatoid scleritis; Rheumatoid vasculitis; Saccadic eye movement;	Pulmonary haemorrhage; Sarcoidosis; Satoyoshi syndrome; Schizencephaly; Scleritis; Sclerodactyly; Scleroderma; Scleroderma associated digital ulcer; Scleroderma renal crisis; Scleroderma-like reaction; Secondary amyloidosis; Secondary cerebellar degeneration; Secondary progressive multiple sclerosis; Segmented hyalinising vasculitis; Seizure; Seizure anoxic; Seizure cluster; Seizure like phenomena; Seizure prophylaxis; Sensation of foreign body; Septic embolus; Septic pulmonary embolism; Severe acute respiratory syndrome; Severe myoclonic epilepsy of infancy; Shock; Shock symptom; Shrinking lung syndrome; Shunt thrombosis; Silent thyroiditis; Simple partial seizures; Sjogren's syndrome;Skin swelling;SLE arthritis;Smooth muscle antibody positive;Sneezing; Spinal artery embolism;	Renal vein thrombosis; Splenic artery thrombosis; Splenic embolism; Splenic thrombosis; Splenic vein thrombosis; Spondylitis; Spondyloarthropathy; Spontaneous heparin-induced thrombocytopenia syndrome; Status epilepticus; Stevens-Johnson syndrome; Stiff leg syndrome; Stiff person syndrome; Stillbirth;Still's disease; Stoma site thrombosis; Stoma site vasculitis; Stress cardiomyopathy; Stridor; Subacute cutaneous lupus erythematosus; Subacute endocarditis; Subacute inflammatory demyelinating polyneuropathy; Subclavian artery embolism; Subclavian artery thrombosis; Subclavian vein thrombosis; Sudden unexplained death in epilepsy; Superior sagittal sinus thrombosis; Susac's syndrome; Suspected COVID19; Swelling; Swelling face; Swelling of eyelid; Swollen tongue; Sympathetic ophthalmia;
---	---	--

<p>SAPHO syndrome;</p> <p>Systemic lupus erythematosus disease activity index abnormal;</p> <p>Systemic lupus erythematosus disease activity index decreased;</p> <p>Systemic lupus erythematosus disease activity index increased;</p> <p>Systemic lupus erythematosus rash;</p> <p>Systemic scleroderma;</p> <p>Systemic sclerosis pulmonary;</p> <p>Tachycardia;</p> <p>Tachypnoea;</p> <p>Takayasu's arteritis;</p> <p>Temporal lobe epilepsy;</p> <p>Terminal ileitis;</p> <p>Testicular autoimmunity;</p> <p>Throat tightness;</p> <p>Thromboangiitis obliterans;</p> <p>Thrombocytopenia;</p> <p>Thrombocytopenic purpura;</p> <p>Thrombophlebitis;</p> <p>Thrombophlebitis migrans;</p> <p>Thrombophlebitis</p> <p>Page 37 090177e196ea1800\Approved\Approved On: 30-A pr-2021 09:26 (GMT) FDA-CBER-2021</p>	<p>Spinal artery thrombosis;</p>	<p>Systemic lupus erythematosus;</p>
--	----------------------------------	--------------------------------------